

=====

Sequence Listing could not be accepted due to errors.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: markspencer

Timestamp: [year=2009; month=3; day=27; hr=7; min=50; sec=31; ms=660;]

=====

Reviewer Comments:

1.

W213	Artificial or Unknown found in <213> in SEQ ID (2)
W213	Artificial or Unknown found in <213> in SEQ ID (3)
W213	Artificial or Unknown found in <213> in SEQ ID (4)
W213	Artificial or Unknown found in <213> in SEQ ID (5)
W213	Artificial or Unknown found in <213> in SEQ ID (6)
W213	Artificial or Unknown found in <213> in SEQ ID (7)
W213	Artificial or Unknown found in <213> in SEQ ID (8)
W213	Artificial or Unknown found in <213> in SEQ ID (9)
W213	Artificial or Unknown found in <213> in SEQ ID (10)
W213	Artificial or Unknown found in <213> in SEQ ID (11)
W213	Artificial or Unknown found in <213> in SEQ ID (12)
W213	Artificial or Unknown found in <213> in SEQ ID (13)
W213	Artificial or Unknown found in <213> in SEQ ID (14)
W213	Artificial or Unknown found in <213> in SEQ ID (15)
W213	Artificial or Unknown found in <213> in SEQ ID (16)

<210> 2

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

* * * * *

<210> 3

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence
* * * * *
<210> 4
<211> 26
<212> PRT
<213> Artificial sequence
<220>
<223> peptide sequence
* * * * *
<210> 5
<211> 22
<212> PRT
<213> Artificial sequence
<220>
<223> peptide sequence
* * * * *
<210> 6
<211> 22
<212> PRT
<213> Artificial sequence
<220>
<223> peptide sequence
* * * * *
<210> 7
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> peptide sequence
* * * * *
<210> 8
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> peptide sequence
* * * * *
<210> 9
<211> 20
<212> PRT
<213> Artificial sequence
<220>

<223> peptide sequence
* * * * *
<210> 10
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> peptide sequence
* * * * *
<210> 11
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> peptide sequence
* * * * *
<210> 12
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> peptide sequence
* * * * *
<210> 13
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> peptide sequence
* * * * *
<210> 14
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> peptide sequence
* * * * *
<210> 15
<211> 20
<212> PRT
<213> Artificial sequence
<220>

```

<223>  peptide sequence
* * * * *
<210>  16
<211>  20
<212>  PRT
<213>  Artificial sequence
<220>
<223>  peptide sequence
* * * * *

```

For SEQ ID # 2 through 16, 25 through 28 , and 32, « peptide sequence » is an insufficient response for numeric identifier <223>. Please explain the source of the genetic material. If the sequence is put together from several organisms, please list those organisms. If the sequence is made in the laboratory, please indicate that the sequence is synthesized. This error may appear in other sequences in the sequence listing Please make all necessary changes.

```

2.
<210>  17
<211>  33
<212>  PRT
<213>  Artificial sequence
<220>
<223>  Consensus peptide sequence
<220>
<221>  X
<222>  (1)..(1)
<223>  X = any amino acid with at least one cysteine residue having the
        formula (Xaa)n, where Xaa is any amino acid and n is an integer
        from 1 to 20
.
.
.
<220>
<221>  X
<222>  (33)..(33)
<223>  X = any amino acid with at least one cysteine residue having the
        formula (Xaa)n, where Xaa is any amino acid and n is an integer
        from 1 to 20

```

A "Xaa" amino acid designator can only represent a single amino acid. "Xaa" may not represent a string of 1 to 20 amino acids as stated in SEQ ID # 17 for amino acid positions 1 and 33. This error occurs in SEQ ID # 18, 19, and 21 as well. Please make all necessary changes.

3.

W213	Artificial or Unknown found in <213> in SEQ ID (1)
E257	Invalid sequence data feature in <221> in SEQ ID (1)
E257	Invalid sequence data feature in <221> in SEQ ID (1)
E257	Invalid sequence data feature in <221> in SEQ ID (1)
E257	Invalid sequence data feature in <221> in SEQ ID (1)
E257	Invalid sequence data feature in <221> in SEQ ID (1)
W213	Artificial or Unknown found in <213> in SEQ ID (17)
E257	Invalid sequence data feature in <221> in SEQ ID (17)
E257	Invalid sequence data feature in <221> in SEQ ID (17)
E257	Invalid sequence data feature in <221> in SEQ ID (17)
E257	Invalid sequence data feature in <221> in SEQ ID (17)
E257	Invalid sequence data feature in <221> in SEQ ID (17)
E257	Invalid sequence data feature in <221> in SEQ ID (17)
W213	Artificial or Unknown found in <213> in SEQ ID (18)
E257	Invalid sequence data feature in <221> in SEQ ID (18)
E257	Invalid sequence data feature in <221> in SEQ ID (18)
E257	Invalid sequence data feature in <221> in SEQ ID (18)
E257	Invalid sequence data feature in <221> in SEQ ID (18)
E257	Invalid sequence data feature in <221> in SEQ ID (18)
E257	Invalid sequence data feature in <221> in SEQ ID (18)
W213	Artificial or Unknown found in <213> in SEQ ID (19)
E257	Invalid sequence data feature in <221> in SEQ ID (19)
E257	Invalid sequence data feature in <221> in SEQ ID (19)

This error has occurred more than 20 times, will not be displayed

W213	Artificial or Unknown found in <213> in SEQ ID (20) This error has occurred more than 20 times, will not be displayed
------	---

The warnings and errors shown above are ok and require no response.

Application No: 10551619

Version No: 2.0

Input Set:

Output Set:

Started: 2009-03-06 20:29:00.976

Finished: 2009-03-06 20:29:05.169

Elapsed: 0 hr(s) 0 min(s) 4 sec(s) 193 ms

Total Warnings: 33

Total Errors: 58

No. of SeqIDs Defined: 33

Actual SeqID Count: 33

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
E 257	Invalid sequence data feature in <221> in SEQ ID (1)
E 257	Invalid sequence data feature in <221> in SEQ ID (1)
E 257	Invalid sequence data feature in <221> in SEQ ID (1)
E 257	Invalid sequence data feature in <221> in SEQ ID (1)
E 257	Invalid sequence data feature in <221> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)

Input Set:

Output Set:

Started: 2009-03-06 20:29:00.976
Finished: 2009-03-06 20:29:05.169
Elapsed: 0 hr(s) 0 min(s) 4 sec(s) 193 ms
Total Warnings: 33
Total Errors: 58
No. of SeqIDs Defined: 33
Actual SeqID Count: 33

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
E 257	Invalid sequence data feature in <221> in SEQ ID (17)
E 257	Invalid sequence data feature in <221> in SEQ ID (17)
E 257	Invalid sequence data feature in <221> in SEQ ID (17)
E 257	Invalid sequence data feature in <221> in SEQ ID (17)
E 257	Invalid sequence data feature in <221> in SEQ ID (17)
E 257	Invalid sequence data feature in <221> in SEQ ID (17)
E 257	Invalid sequence data feature in <221> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
E 257	Invalid sequence data feature in <221> in SEQ ID (18)
E 257	Invalid sequence data feature in <221> in SEQ ID (18)
E 257	Invalid sequence data feature in <221> in SEQ ID (18)
E 257	Invalid sequence data feature in <221> in SEQ ID (18)
E 257	Invalid sequence data feature in <221> in SEQ ID (18)
E 257	Invalid sequence data feature in <221> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
E 257	Invalid sequence data feature in <221> in SEQ ID (19)
E 257	Invalid sequence data feature in <221> in SEQ ID (19) This error has occurred more than 20 times, will not be displayed
W 213	Artificial or Unknown found in <213> in SEQ ID (20) This error has occurred more than 20 times, will not be displayed

SEQUENCE LISTING

<110> The Regents of the University of California
 Martin, Paul Taylor

<120> AMYLOID-SPECIFIC PEPTIDES AND USES THEREOF

<130> 00015-022US1

<140> 10551619
 <141> 2006-12-22

<150> US 60/461,168
 <151> 2003-04-07

<150> PCT/US04/10939
 <151> 2004-04-07

<160> 33

<170> PatentIn version 3.3

<210> 1
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> consensus peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = W OR F

<220>
 <221> X
 <222> (2)..(6)
 <223> X = any amino acid having two positively charged residues and no
 negatively charged residues

<220>
 <221> X
 <222> (7)..(7)
 <223> X = W OR F

<220>
 <221> X
 <222> (8)..(9)
 <223> X = Any amino acid

<220>
 <221> X
 <222> (10)..(10)
 <223> X = W OR F

<400> 1

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 2

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 2

Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser Gly
1 5 10 15

Lys Thr Glu Ala
20

<210> 3

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 3

Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu Phe
1 5 10 15

Ser Gln Asp Gln
20

<210> 4

<211> 26

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 4

Ala Glu Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly
1 5 10 15

Ala Ser Gly Lys Thr Glu Ala Cys Gly Pro
20 25

<210> 5
<211> 22
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 5

Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser
1 5 10 15

Gly Lys Thr Glu Ala Cys
20

<210> 6
<211> 22
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 6

Cys Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu
1 5 10 15

Phe Ser Gln Asp Gln Cys
20

<210> 7
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 7

Leu Gly Ser Gly Arg Ile Gly Asp Gly Trp Ser Asp Gly Gly Leu Ala
1 5 10 15

Arg Arg Leu Lys
20

<210> 8
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 8

Asp Gly Gly Gly Gly Ala Gly Arg Trp Thr Thr Lys Asp Arg Ser Ala
1 5 10 15

Ala Lys Thr Glu
20

<210> 9
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 9

Val Asp Asp Gly Ala Gln Gly Lys Arg Trp Gly Gly Met Gly Leu Gly
1 5 10 15

Lys Gly Arg Arg
20

<210> 10
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> peptide sequence

<400> 10

Ser Gly Ser Gly Val Gly Leu Arg Met Ala Ser Gln Arg His Glu Gly
1 5 10 15

Arg Lys Val Tyr
20

<210> 11
<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 11

Gln Leu Pro Gln Asn Gly Gly Pro Ala Trp Phe Thr Arg Lys Ala Gly
1 5 10 15

Gln Gly Gly Arg
20

<210> 12

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 12

Leu Gly Tyr Ala Gly Gly Gly Gln Gly Met Val Glu Gly Ser Phe Trp
1 5 10 15

Pro Thr Ser Trp
20

<210> 13

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 13

Gly Leu Arg Gly Met Glu Gly Arg Gly Tyr Pro Lys Asp Arg Arg Asp
1 5 10 15

Arg Asn Leu Glu
20

<210> 14

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 14

Leu Ile Gly Gly Asn Lys Ala Gly Arg Gly Ala Trp Gly Val Val Ala
1 5 10 15

Ser Ser Gly Arg
20

<210> 15

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 15

Glu Leu Glu Ser Arg Gly Gly Leu Gly Tyr Ala Trp Arg Gly Ser Ala
1 5 10 15

Ser Thr Met Asp
20

<210> 16

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 16

Lys Gly Glu Thr Gly Asn Gly Gly Arg Ala Lys Ala Gly Thr Val Asp
1 5 10 15

Leu Ile Arg Arg
20

<210> 17

<211> 33

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = any amino acid with at least one cysteine residue having the
 formula (Xaa)n, where Xaa is any amino acid and n is an integer
 from 1 to 20

<220>
 <221> X
 <222> (2)..(2)
 <223> X = W or F

<220>
 <221> X
 <222> (3)..(17)
 <223> X = any positively charged amino acid

<220>
 <221> X
 <222> (18)..(18)
 <223> X = W or F

<220>
 <221> X
 <222> (19)..(31)
 <223> X = any amino acid

<220>
 <221> X
 <222> (32)..(32)
 <223> X = W or F

<220>
 <221> X
 <222> (33)..(33)
 <223> X = any amino acid with at least one cysteine residue having the
 formula (Xaa)n, where Xaa is any amino acid and n is an integer
 from 1 to 20

<400> 17

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 20 25 30

Xaa

<210> 18
 <211> 32
 <212> PRT

<213> Artificial sequence

<220>

<223> Consensus peptide sequence

<220>

<221> X

<222> (1)..(1)

<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20

<220>

<221> X

<222> (2)..(2)

<223> X = W or F

<220>

<221> X

<222> (3)..(17)

<223> X = any positively charged amino acid

<220>

<221> X

<222> (18)..(18)

<223> X = W or F

<220>

<221> X

<222> (19)..(31)

<223> X = any amino acid

<220>

<221> X

<222> (32)..(32)

<223> X = W or F

<400> 18

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 19

<211> 32

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = W or F

<220>
 <221> X
 <222> (2)..(16)
 <223> X = Any positively charged amino acid

<220>
 <221> X
 <222> (17)..(17)
 <223> X = W or F

<220>
 <221> X
 <222> (18)..(30)
 <223> X = any amino acid

<220>
 <221> X
 <222> (31)..(31)
 <223> X = W or F

<220>
 <221> X
 <222> (32)..(32)
 <223> X = any amino acid with at least one cysteine residue having the
 formula (Xaa)_n, where Xaa is any amino acid and n is an integer
 from 1 to 20

<400> 19

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 20 25 30

<210> 20
 <211> 31
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Consensus peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = W or F

<220>

<221> X
<222> (2)..(16)
<223> X = Any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(30)
<223> X = any amino acid

<220>
<221> X
<222> (31)..(31)
<223> X = W or F

<400> 20

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 21
<211> 41
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
formula (Xaa)_n, where Xaa is any amino acid and n is an integer
from 1 to 20

<220>
<221> X
<222> (2)..(2)
<223> X = W or F

<220>
<221> X
<222> (3)..(17)
<223> X = Any positively charged amino acid

<220>
<221> X

<222> (18)..(18)

<223> X = W or F

<220>

<221> X

<222> (19)..(39)

<223> X = any amino acid

<220>

<221> X

<222> (40)..(40)

<223> X = W or F

<220>

<221> X

<222> (41)..(41)

<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)_n, where Xaa is any amino acid and n is an integer from 1 to 20

<400> 21

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

35 40

<210> 22

<211> 40

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus peptide sequence

<220>

<221> X

<222> (1)..(1)

<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)_n, where Xaa is any amino acid and n is an integer from 1 to 20

<220>

<221> X

<222> (2)..(2)

<223> X = W or F

<220>

<221> X

<222> (3)..(17)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (18)..(18)
<223> X = W or F

<220>
<221> X
<222> (19)..(39)
<223> X = any amino acid

<220>
<221> X
<222> (40)..(40)
<223> X = W or F

<400> 22

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35 40

<210> 23
<211> 40
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(16)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>

<221> X
 <222> (18)..(38)
 <223> X = any amino acid

<220>
 <221> X
 <222> (39)..(39)
 <223> X = W or F

<220>
 <221> X
 <222> (40)..(40)
 <223> X = any amino acid with at least one cysteine residue having the
 formula (Xaa)_n, where Xaa is any amino acid and n is an integer
 from 1 to 20

<400> 23

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 35 40

<210> 24
 <211> 39
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Consensus peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = W or F

<220>
 <221> X
 <222> (2)..(16)
 <223> X = any positively charged amino acid

<220>
 <221> X
 <222> (17)..(17)
 <223> X = W or F

<220>
 <221> X
 <222> (18)..(38)

<223> X = any amino acid

<220>

<221> X

<222> (39)..(39)

<223> X = W or F

<400> 24

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35

<210> 25

<211> 5

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 25

Ser Arg Lys Asn Gln
1 5

<210> 26

<211> 9

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 26

His Cys Ser Gln Asn Glu Asp Gly Ala
1 5

<210> 27

<211> 9

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 27

Tyr Ser Thr Thr Ser Trp Tyr Tyr Trp
1 5

<210> 28

<211> 40

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 28

Asp Ala Glu Phe Lys His Asp Ser Gly Thr Glu Val His His Gln Lys
1 5 10 15

Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys Gly Ala Ile Ile
20 25 30

Gly Leu Met Val Gly Gly Val Val
35 40

<210> 29

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> primer

<400> 29

gtttgtcgtc tttccagacg 20

<210> 30

<211> 105

<212> DNA

<213> Artificial sequence

<220>

<223> Nucleotide cloning sequence

<400> 30

cgggggtacct gcagaatgcg attgggggaa ggggggtcgg tggcggttgt ggccgggtgc 60

gtcgggggaag acggaggcgt gcggcccgcc gtattagtct agagc 105

<210> 31

<211> 105

<212> DNA

<213> Artificial sequence

<220>

<223> Nucleotide cloning sequence

<400> 31

gctctagact aatacggcgg gccgcacgcc tccgtcttcc ccgacgcacc cggccacaac 60

cgccaccgac ccccttccc ccaatcgcat tctgcaggta ccccg 105

<210> 32

<211> 5

<212> PRT

<213> Artificial sequence

<220>

<223> peptide sequence

<400> 32

Cys Gly Pro Pro Tyr

1 5

<210> 33

<211> 11

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus peptide sequence

<220>

<221> X

<222> (1)..(1)

<223> X = W or F

<220>

<221> X

<222> (2)..(6)

<223> X = any positively charged amino acid

<220>

<221> X

<222> (7)..(7)

<223> X = W or F

<220>

<221> X

<222> (8)..(10)

<223> X = any amino acid

<220>

<221> X

<222> (11)..(11)

<223> X = W or F

<400> 33

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5						10	